









H



























## Manual Valves

OTAL VALVE & EQUIPMENT

BALL

CHECK

CONTROL

GATE

**GLOBE** 

**BUTTERFLY** 

**PIGGING** 

**RELIEF** 


**STRAINERS** 

ESDV'S

BDV'S

MOV'S

ETC...



YEARS OF EXPERIENCE ALLOWS US
TO SUPPLY OUR CUSTOMERS WITH
THE CORRECT VALVE MATERIALS
THAT MEET THEIR SPECIFIC SERVICE
CONDITIONS

LET **TOTAL VALVE & EQUIPMENT**PARTNER WITH YOU TO PROVIDE THE
RIGHT VALVES FOR THE RIGHT
APPLICATION



## **Actuated Valves**



## **ACTUATION SETTING:**

Our customers can rest well knowing their product is assembled right the first time. Proprietary tooling and procedures allow us to hold tight tolerances upon setting actuation.

Our maximum allowable tolerance is 2.5 degrees either side of 90 degrees closed.

2.5 degrees allows for full ball seat engagement, while 5 degrees may cause some ball valves to be off of seat.

## **ACTUATION ACCESSORIES:**

- All accessories are tubed and terminated according to customer's schematics and diagrams.
- All components are checked under power, in accordance with procedures and signed-off on.
- A supervisor checks work against job ticket and signs off after full inspection of working product.
   Product is then green tagged and moved to shipping.
- In shipping, all product goes through a final inspection against job ticket.
- Once product passes final inspection, it is ready to be shipped.

















Toll Free: 800-665-1488













Total Valve and Equipment 2508 E. Pearl Street Odessa, Texas 79761 Ph: 432-653-8054

Fax: 432-653-0482

Total Valve and Equipment
301 Cardinal Drive
Lafayette, Louisiana 70508
Ph.: 337-233-0503
Fax:: 337-237-1018

Total Valve and Equipment
6711 N. Sam Houston Pkwy W.
Houston, Texas 77064
Ph: 832-688-9536
Fax: 832-688-9782